

DIN 11866-A (DIN 11850)				DIN 11866-B (EN ISO 1127)				DIN 11866-C (ASME BPE)			
DN	A	B	S	DN	A	B	S	DN	A	B	S
2*	4.0	2.0	1.0	6	10.2	7.0	1.6	¼"	6.35	4.57	0.89
4*	6.0	4.0	1.0	8	13.5	10.3	1.6	⅜"	9.53	7.75	0.89
6	8.0	6.0	1.0	10	17.2	14.0	1.6	½"	12.7	9.4	1.65
8	10.0	8.0	1.0	15	21.3	18.1	1.6	¾"	19.05	15.75	1.65
10*	12.0	10.0	1.0	20	26.9	23.7	1.6	1"	25.4	22.1	1.65
10	13.0	10.0	1.5	25	33.7	29.7	2.0	1½"	38.1	34.8	1.65
15	19.0	16.0	1.5	32	42.4	38.4	2.0	2"	50.8	47.5	1.65
20	23.0	20.0	1.5	40	48.3	44.3	2.0	2½"	63.5	60.2	1.65
25	29.0	26.0	1.5	50	60.3	56.3	2.0	3"	76.2	72.9	1.65
32	35.0	32.0	1.5	65	76.1	72.1	2.0	4"	101.6	97.38	2.11
40	41.0	38.0	1.5	80	88.9	84.3	2.3	6"	152.4	146.86	2.77
50	53.0	50.0	1.5	100	114.3	109.7	2.3				
65	70.0	66.0	2.0	125	139.7	134.5	2.6				
80	85.0	81.0	2.0	150	168.3	163.1	2.6				
100	104.0	100.0	2.0	200	219.1	213.9	2.6				
125	129.0	125.0	2.0								
150	154.0	150.0	2.0								
200	204.0	200.0	2.0								

*) nicht in der DIN 11866 enthalten | non-standard



Legende

DN	Nennweite
A	Rohr-Außendurchmesser
B	Rohr-Innendurchmesser
S	Wandstärke

Key

dimension
external tube diameter
internal tube diameter
wall thickness

Quellenangabe | reference : Christ Water Technology Group